

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO. CONFIRMATION NO.	
10/620,095	07/15/2003	Andy Harjanto	13768.604.22 8726	
75	90 08/09/2006		EXAMI	NER
RICK D. NYDEGGER			STACE, BRENT S	
WORKMAN NYDEGGER 1000 Eagle Gate Tower			ART UNIT	PAPER NUMBER
60 East South Temple			2161	
Salt Lake City,	UT 84111		DATE MAILED: 08/09/2006	; ·

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/620,095	HARJANTO, ANDY			
Office Action Summary	Examiner	Art Unit			
	Brent S. Stace	2161			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w. - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. (D) (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on 04 Ma	ay 2006.				
<u> </u>					
3) Since this application is in condition for allowan	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.			
Disposition of Claims					
4)	vn from consideration. are rejected.				
9) The specification is objected to by the Examiner	г.				
10)⊠ The drawing(s) filed on <u>15 July 2003</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12)Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)All b)Some * c)None of: 1Certified copies of the priority documents have been received. 2Certified copies of the priority documents have been received in Application No 3Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

DETAILED ACTION

Remarks

1. This communication is responsive to the amendment filed May 4th, 2006. Claims 2-4, 7-9, 12, 14-16, 18-21, and 29-39 are pending. In the amendment filed May 4th, 2006, 2-4, 7-9, 12, 14-16, 18-21, 29 and 30 are amended, Claims 1, 5, 6, 10, 11, 17, and 22-28 are canceled, Claims 31-39 are new claims, and Claims 31, 37, 38, and 39 are independent Claims. The examiner acknowledges that no new matter was introduced and the claims are supported by the specification. This action is made FINAL.

Response to Arguments

2. Applicant's arguments with respect to claims 2-4, 7-9, 12, 14-16, 18-21, and 29-39 for Balabine failing to disclose "any method in which relationships linking attributes of the objects are defined and include pointers linking each object having a defined attribute relationship with another object, and particularly wherein the defined relationships are other than parent-child relationships of a directory hierarchy," that Balabine fails to disclose or suggest "the receipt of a client request in the format of a location path expression that includes a view name which is a particular defined name of a particular one of the attribute relationships, and at least one path element defining an object related by the defined attribute relationship associated with the view name," and that Balabine fails to disclose "any system in which any of the request includes a

Art Unit: 2161

particular view name of a particular predefined attribute relationship or any object related to the request file by the particular attribute relationship that is specified" have been considered but are most in view of the new ground(s) of rejection.

3. The other claims argued merely because of a dependency on a previously argued claim(s) in the arguments presented to the examiner, filed May 4th, 2006, are moot in view of the examiner's interpretation of the claims and art and are still considered rejected based on their respective rejections (see below).

Response to Amendment

Drawings

4. In light of the applicant's respective arguments or respective amendments, the previous drawing objections to the drawings have been withdrawn.

Claim Objections

- 5. Claim 30 is objected to because of the following informality:
 - a. Claim 30 depends from a canceled claim (Claim 26).

Appropriate correction is required.

Claim Rejections - 35 USC § 112

6. In light of the applicant's respective arguments or respective amendments, the previous 35 USC § 112 claim rejections to the claims have been withdrawn.

Page 3

Art Unit: 2161

Claim Rejections - 35 USC § 102

Page 4

7. In light of the applicant's respective arguments or respective amendments, the previous 35 USC § 102 claim rejections to the claims have been withdrawn.

Claim Rejections - 35 USC § 103

- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 9. Claims 2-4, 12, 14, 18-21, 29, 30, 31, 34, 36-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,442,548 (Balabine et al.) in view of U.S. Patent No. 6,654,734 (Mani et al.).

For Claim 31, Balabine teaches: "A method for accessing objects in a database, [Balabine, col. 5, lines 21-46] comprising:

- storing objects in a database, where in the objects each comprise corresponding attributes; [Balabine, cols. 5-6, lines 63-4 with Balabine, col. 2, lines 50-55 with Balabine, Fig. 1]
- receiving a client request for accessing a requested object in the database,
 [Balabine, col. 6, lines 23-31 with Balabine, col. 9, lines 38-54]

Art Unit: 2161

processing the client request comprising the location path expression to locate
the requested object" [Balabine, col. 6, lines 23-33 with Balabine, Fig. 5C].
 Balabine discloses the above limitations but does not expressly teach:

Page 5

- "defining relationships linking attributes of the objects, wherein defining the relationships includes creating pointers linking each object having a defined attribute relationship with another object, and such that the defined attribute relationships comprise linked paths between the objects, as defined by their attributes, and wherein the defined relationships comprise relationships other than parent-child relationships defined by a directory hierarchy, and wherein defining attribute relationships for linking objects enables objects of different types to be linked by the defined attribute relationships, each attribute relationship comprising a defined name;
- wherein the request is entered in the format of a location path expressing having the following format:
 - a first expression component reciting a view name, wherein the view name is a particular defined name of a particular one of the defined attribute relationships; and
 - at least one path element defining one of the objects related by the defined attribute relationship associated with the view name and that defines at least a portion of a linked path to the requested object;
- returning the requested object and any other data specified in the location path expression to a client."

Art Unit: 2161

With respect to Claim 31, an analogous art, Mani, teaches:

with Balabine, col. 7, lines 35-50 with Balabine, Fig. 1] wherein defining the relationships includes creating pointers linking each object having a defined attribute relationship with another object, and such that the defined attribute relationships comprise linked paths between the objects, as defined by their attributes, [Mani, col. 3, lines 54-56 with Balabine, col. 3, lines 40-44 with Balabine, col. 7, lines 30-34 with Balabine, col. 10, nlines 32-35 with Balabine, Fig. 1] and wherein the defined relationships comprise relationships other than parent-child relationships defined by a directory hierarchy, [Mani, col. 6, lines 25-35] and wherein defining attribute relationships for linking objects enables objects of different types to be linked by the defined attribute relationships, [Mani, col. 3, lines 60-64 with Mani, col. 4, lines 6-9 with Mani, col. 9, lines 50-52 with Balabine, col. 7, lines 35-50 with Balabine, Fig. 1] each attribute relationship comprising a defined name; [Mani, col. 6, lines 25-35]

Page 6

- wherein the request is entered in the format of a location path expressing [Mani,
 col. 2, lines 65-66 with Mani, col. 12, lines 55-58] having the following format:
 - a first expression component reciting a view name, wherein the view name is
 a particular defined name of a particular one of the defined attribute
 relationships; [Mani, col. 9, lines 50-52 with Mani, col. 6, lines 30-34 with
 Balabine, cols. 6-7, lines 65-13 with Balabine, col. 7, lines 34-56] and

- at least one path element defining one of the objects related by the defined attribute relationship associated with the view name and that defines at least a portion of a linked path to the requested object; [Mani, col. 12, lines 55-58 with Mani, col. 2, lines 65-66]
- returning the requested object and any other data specified in the location path expression to a client" [Mani, col. 2, lines 58-66 with Balabine, Fig. 5C].

It would have been obvious to one of ordinary skill in the art at the time of invention to combine Mani with Balabine because both inventions are directed towards querying databases.

Mani's invention would have been expected to successfully work well with Balabine's invention because both inventions use databases on computers. Balabine discloses a database interface for database unaware applications comprising mapping database elements to different relationships based on user specifications, however Balabine does not expressly disclose that the relationships can be more than parent-child relationships using pointers, view names, location path expressions having the format above, or returning the requested object and any other data specified in the location path expression to a client. Mani discloses a system and method for query processing and optimization for xml repositories comprising more than parent-child relationships using pointers, view names, location path expressions having the format above, or returning the requested object and any other data specified in the location path expression to a client.

Art Unit: 2161

It would have been obvious to one of ordinary skill in the art at the time of invention to take the relationships other than parent-child relationships using pointers, view names, location path expressions having the format above, or returning the requested object and any other data from Mani and install it into the invention of Balabine, thereby offering the obvious advantage of making arbitrary relationships as desired (and implied) in Balabine, using pointers to easily link objects together to form relationships, using view names to obtain a certain view of the data (supporting the many BEMs of Balabine), location path expressions supporting the selection of the particular view requested from the many BEMs of Balabine and the element requested, and returning not only the requested element, but other data requested (as requested from the client).

Claim 2 can be mapped to Balabine (as modified by Mani) as follows: "A method as recited in claim 31, further comprising reviewing configuration information to identify the defined attribute relationship associated with the view name in the location path expression" [Balabine, cols. 6-7, lines 65-13 with Balabine, col. 7, lines 34-56 with Balabine, col. 6, lines 31-39 with Balabine, col. 6, lines 47-55 with Mani, col. 9, lines 50-52 with Mani, col. 6, lines 30-34].

Claim 3 can be mapped to Balabine (as modified by Mani) as follows: "A method as recited in claim 2, wherein reviewing configuration information further identifies a root level starting point associated with the view name" [Balabine, col. 6, lines 23-31 with Balabine, col. 6, lines 47-55 with Balabine, cols. 6-7, lines 65-13 with Balabine, col. 7, lines 34-56 with Balabine, col. 9, lines 38-54 with Mani, col. 12, lines 15-19].

Claim 4 can be mapped to Balabine (as modified by Mani) as follows: "A method as recited in claim 2, wherein reviewing the configuration determines whether the client has permission to access the database based on the defined attribute relationship" [Balabine, col. 7, lines 12-35].

Claim 12 can be mapped to Balabine (as modified by Mani) as follows: "A method as recited in claim 31, wherein the database is a directory service database" [Balabine, col. 6, lines 5-10 with Balabine, col. 6, lines 31-39 with Balabine, col. 6, lines 47-56].

Claim 14 can be mapped to Balabine (as modified by Mani) as follows: "A method as recited in claim 38, further comprising obtaining configuration information from the server defining the relationships linking attributes of the objects in the database and associated view names thereof" [Balabine, col. 6, lines 31-39 with Balabine, col. 6, lines 47-55 with Balabine, cols. 6-7, lines 65-13 with Balabine, col. 7, lines 34-56 with Balabine, Figs. 7 and 8 with Mani, col. 6, lines 30-34].

Claims 18-20 and 21 encompass substantially the same scope of the invention as that of Claims 2-4 and 12, respectfully, in addition a to computer-readable medium and some instructions for a database server of a database for performing the computer-readable medium instructions of Claims 2-4 and 12, respectfully. Therefore, Claims 18-20, and 21 are rejected for the same reasons as stated above with respect to Claims 2-4 and 12, respectfully.

Claim 29 can be mapped to Balabine (as modified by Mani) as follows: "A method as recited in claim 38, wherein the server is a database server of the database"

[Balabine, col. 6, lines 31-39 with Balabine, col. 6, lines 47-56 with Balabine, col. 9, lines 38-54 with Balabine, Figs. 7 and 8 with Mani, col. 5, lines 26-31].

Claim 30 can be mapped to Balabine (as modified by Mani) as follows: "A method as recited in claim 26, wherein the database is a directory service database" [Balabine, col. 6, lines 5-10 with Balabine, col. 6, lines 31-39 with Balabine, col. 6, lines 47-56].

Claim 34 can be mapped to Balabine (as modified by Mani) as follows: "A method as recited in claim 31, where in at least one of the defined attribute relationships includes a relationship between objects of different types that are linked by an attribute relationship" [Mani, col. 3, lines 60-64 with Mani, col. 4, lines 6-9 with Mani, col. 9, lines 50-52 with Balabine, col. 7, lines 35-50 with Balabine, Fig. 1].

Claim 36 can be mapped to Balabine (as modified by Mani) as follows: "A method as recited in claim 31, wherein the method further includes:

providing an application programming interface (API) from which applications on
the client issue function calls to form the data path expression and to send the
data path expression over a transport protocol to a Web service for directory
access to the database"[Mani, col. 3, lines 50-55 with Mani, col. 4, lines 34-36
with Mani, col. 5, lines 27-31].

Claim 37 encompasses substantially the same scope of the invention as that of Claim 31, in addition to a computer program product and some instructions for performing the method steps of Claim 31. Therefore, Claim 37 is rejected for the same reasons as stated above with respect to Claim 31. Additionally, Claim 37 recites "one or more physical computer-readable media having stored thereon computer-executable".

instructions that, when executed by a processor, cause a computing system to perform the following" that can be mapped to Balabine (as modified by Mani) as follows:

[Balabine, cols. 10-11, lines 60-20].

Claim 38 encompasses substantially the same scope of the invention as that of Claim 31, in addition to a method and some steps for performing the method steps of Claim 31. Therefore, Claim 38 is rejected for the same reasons as stated above with respect to Claim 31. Additionally, Claim 38 recites "a method for receiving objects requested from a database, the method comprising: connecting with a server providing access to objects stored in a database" that can be mapped to Balabine (as modified by Mani) as follows: [Balabine, cols. 10-11, lines 60-20 with Balabine, col. 9, lines 65-67].

Claim 39 encompasses substantially the same scope of the invention as that of Claim 31, in addition to a computer program product and some instructions for performing the method steps of Claim 31. Therefore, Claim 39 is rejected for the same reasons as stated above with respect to Claim 31. Additionally, Claim 39 recites "one or more physical computer-readable media having stored thereon computer-executable instructions that, when executed by a processor, cause a computing system to perform the following: connect with a server providing access to objects stored in a database" that can be mapped to Balabine (as modified by Mani) as follows: [Balabine, cols. 10-11, lines 60-20 with Balabine, col. 9, lines 65-67].

10. Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,442,548 (Balabine et al.) in view of U.S. Patent No. 6,654,734 (Mani et al.), further in view of U.S. Patent No. 6,366,954 (Traversat et al.).

For Claim 32, Balabine (as modified by Mani) teaches: "A method as recited in claim 31."

Balabine (as modified by Mani) discloses the above limitation but does not expressly teach: "...wherein the database is a database of a Web service, and wherein the location path expression is translated into a plurality of LDAP queries that are processed by the Web service to satisfy the client request an that are iteratively processed until the client request is satisfied."

With respect to Claim 32, an analogous art, Traversat, teaches: "...wherein the database is a database of a Web service, and wherein the location path expression is translated into a plurality of LDAP queries that are processed by the Web service to satisfy the client request an that are iteratively processed until the client request is satisfied" [Traversat, col. 5, lines 38-42 with Balabine, col. 6, lines 31-39 with Balabine, col. 6, lines 47-56].

It would have been obvious to one of ordinary skill in the art at the time of invention to combine Traversat with Balabine (as modified by Mani) because both inventions are directed towards using directory services.

Traversat's invention would have been expected to successfully work well with Balabine (as modified by Mani)'s invention because both inventions use databases and Balabine (as modified by Mani) teaches that his invention can conform to other

Application/Control Number: 10/620,095 Page 13

Art Unit: 2161

protocols (Balabine, col. 9, lines 54-60). Balabine discloses a database interface for database unaware applications comprising the use of a network file system (NFS), however Balabine (as modified by Mani) does not expressly disclose that LDAP is used as the protocol on how the queries in Balabine (as modified by Mani) are formulated/formatted. Traversat discloses a method and data format for exchanging data between a java system database entry and an LDAP directory service comprising the use of the LDAP in directory services.

It would have been obvious to one of ordinary skill in the art at the time of invention to take the use of the LDAP in directory services from Traversat and install it into the computer-readable medium of Balabine (as modified by Mani), thereby offering the obvious advantage of tuning directories of Balabine (as modified by Mani) or Traversat to give quick-responses to high-volume lookup or search operations (Traversat, cols. 5-6, lines 60-13).

11. Claims 7 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,442,548 (Balabine et al.) in view of U.S. Patent No. 6,654,734 (Mani et al.), further in view of U.S. Patent Application Publication No. 2003/0126136 (Omoigui).

For Claim 7, Balabine (as modified by Mani) teaches: "A method as recited in claim 31."

Balabine (as modified by Mani) discloses the above limitation but does not expressly teach: "...wherein client request is received according to the Simple Object Access Protocol (SOAP)."

With respect to Claim 7, an analogous art, Omoigui, teaches: "...wherein client request is received according to the Simple Object Access Protocol (SOAP)" [Omoigui, paragraph [0308]].

It would have been obvious to one of ordinary skill in the art at the time of invention to combine Omoigui with Balabine (as modified by Mani) because both inventions are directed towards communicating across a network.

Omoigui's invention would have been expected to successfully work well with Balabine (as modified by Mani)'s invention because both inventions use computers communicating across a network. Balabine (as modified by Mani) discloses a database interface for database unaware applications comprising issuing queries and communicating across a network, however Balabine (as modified by Mani) does not expressly disclose that the SOAP is used. Omoigui discloses a system and method for knowledge retrieval, management, delivery, and presentation comprising using SOAP messages for communication.

It would have been obvious to one of ordinary skill in the art at the time of invention to take the SOAP communication messages from Omoigui and install it into the computer-readable medium of Balabine (as modified by Mani), thereby offering the obvious advantage of gaining the security features of SOAP as described in Omoigui paragraph [0308].

Art Unit: 2161

For Claim 15, Balabine (as modified by Mani) teaches: "A method as recited in claim 14."

Balabine (as modified by Mani) discloses the above limitation but does not expressly teach: "...wherein sending the request sends the request in a message to the server according to the Simple Object Access Protocol (SOAP)."

With respect to Claim 15, an analogous art, Omoigui, teaches: "...wherein sending the request sends the request in a message to the server according to the Simple Object Access Protocol (SOAP)" [Omoigui, paragraph [0308]].

It would have been obvious to one of ordinary skill in the art at the time of invention to combine Omoigui with Balabine (as modified by Mani) because both inventions are directed towards communicating across a network.

Omoigui's invention would have been expected to successfully work well with Balabine (as modified by Mani)'s invention because both inventions use computers communicating across a network. Balabine (as modified by Mani) discloses a database interface for database unaware applications comprising issuing queries and communicating across a network, however Balabine (as modified by Mani) does not expressly disclose that the SOAP is used. Omoigui discloses a system and method for knowledge retrieval, management, delivery, and presentation comprising using SOAP messages for communication.

It would have been obvious to one of ordinary skill in the art at the time of invention to take the SOAP communication messages from Omoigui and install it into the computer-readable medium of Balabine (as modified by Mani), thereby offering the

obvious advantage of gaining the security features of SOAP as described in Omoigui paragraph [0308].

12. Claims 8 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,442,548 (Balabine et al.) in view of U.S. Patent No. 6,654,734 (Mani et al.), further in view of U.S. Patent No. 5,630,121 (Braden-Harder et al.).

For Claim 8 Balabine (as modified by Mani) teaches: "A method as recited in claim 31."

Balabine (as modified by Mani) discloses the above limitation but does not expressly teach: "...wherein one of the at least one path elements of the location path expression is a wildcard element."

With respect to Claim 8, an analogous art, Braden-Harder, teaches: "...wherein one of the at least one path elements of the location path expression is a wildcard element" [Braden-Harder, col. 10, lines 10-16].

It would have been obvious to one of ordinary skill in the art at the time of invention to combine Braden-Harder with Balabine (as modified by Mani) because both inventions are directed towards searching for data.

Braden-Harder's invention would have been expected to successfully work well with Balabine (as modified by Mani)'s invention because both inventions use queries on databases. Balabine (as modified by Mani) discloses a database interface for database unaware applications comprising querying a database, however Balabine (as modified by Mani) does not expressly disclose that the searches can have wildcard characters in

Page 17

them to narrow or broaden a search. Braden-Harder discloses archiving and retrieving multimedia objects using structured indexes comprising the optional use of a wildcard character to narrow or broaden a search query.

It would have been obvious to one of ordinary skill in the art at the time of invention to take the optional use of a wildcard character to narrow or broaden a search query from Braden-Harder and install it into the computer-readable medium of Balabine (as modified by Mani), thereby offering the obvious advantage of gaining an easier way to narrow or broaden a search in Balabine (as modified by Mani) by the use of a wildcard character.

For Claim 16 Balabine (as modified by Mani) teaches: "A method as recited in claim 38."

Balabine (as modified by Mani) discloses the above limitation but does not expressly teach: "...wherein one of the at least one path elements of the location path expression is a wildcard element."

With respect to Claim 16, an analogous art, Braden-Harder, teaches: "...wherein one of the at least one path elements of the location path expression is a wildcard element" [Braden-Harder, col. 10, lines 10-16].

It would have been obvious to one of ordinary skill in the art at the time of invention to combine Braden-Harder with Balabine (as modified by Mani) because both inventions are directed towards searching for data.

Braden-Harder's invention would have been expected to successfully work well with Balabine (as modified by Mani)'s invention because both inventions use queries on

databases. Balabine (as modified by Mani) discloses a database interface for database unaware applications comprising querying a database, however Balabine (as modified by Mani) does not expressly disclose that the searches can have wildcard characters in them to narrow or broaden a search. Braden-Harder discloses archiving and retrieving multimedia objects using structured indexes comprising the optional use of a wildcard character to narrow or broaden a search query.

It would have been obvious to one of ordinary skill in the art at the time of invention to take the optional use of a wildcard character to narrow or broaden a search query from Braden-Harder and install it into the computer-readable medium of Balabine (as modified by Mani), thereby offering the obvious advantage of gaining an easier way to narrow or broaden a search in Balabine (as modified by Mani) by the use of a wildcard character.

13. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,442,548 (Balabine et al.) in view of U.S. Patent No. 6,654,734 (Mani et al.), further in view of U.S. Patent No. 5,619,692 (Malkemus et al.).

For Claim 9, Balabine (as modified by Mani) teaches: "A method as recited in claim 31."

Balabine (as modified by Mani) discloses the above limitation but does not expressly teach: "...wherein one of the at least one path elements of the location path expression indicates a search in a reversed direction of the predefined relationship."

With respect to Claim 9, an analogous art, Malkemus, teaches: "...wherein one of the at least one path elements of the location path expression indicates a search in a reversed direction of the predefined relationship" [Malkemus, cols. 1-2, lines 60-4].

It would have been obvious to one of ordinary skill in the art at the time of invention to combine Malkemus with Balabine (as modified by Mani) because both inventions are directed towards querying a database to retrieve results.

Malkemus's invention would have been expected to successfully work well with Balabine (as modified by Mani)'s invention because both inventions can use SQL to query. Balabine (as modified by Mani) discloses a database interface for database unaware applications comprising querying a database and retrieving results, however Balabine (as modified by Mani) does not expressly disclose ordering the results of the query in a different order(s). Malkemus discloses the semantic optimization of query order requirements using order detection by normalization in a query compiler system comprising the known ways to order results of an SQL query in ascending order (ASC) or descending order (DESC).

It would have been obvious to one of ordinary skill in the art at the time of invention to take the ordering of results from Malkemus and install it into the computer-readable medium of Balabine (as modified by Mani), thereby offering the obvious advantage of retrieving information in different orders according to an attribute.

14. Claims 33 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,442,548 (Balabine et al.) in view of U.S. Patent No. 6,654,734

Art Unit: 2161

(Mani et al.), further in view of

http://en.wikipedia.org/w/index.php?title=XPath&oldid=1315639 (XPath).

For Claim 33, Balabine (as modified by Mani) teaches: "A method as recited in claim 31, wherein the location path expression includes a plurality of objects related by the defined attribute relationship specified by the view name" [Balabine, cols. 6-7, lines 65-13 with Balabine, col. 7, lines 30-56 with Mani, col. 3, lines 54-56 with Balabine, col. 3, lines 40-44 with Balabine, col. 10, lines 32-35 with Balabine, Fig. 1 with Mani, col. 6, lines 25-35].

Balabine (as modified by Mani) discloses the above limitations but does not expressly teach: "and wherein each of the objects are separated by a forward slash."

With respect to Claim 33, an analogous art, XPath, teaches: "and wherein each of the objects are separated by a forward slash" [XPath, p. 1 with Balabine, Fig. 5C].

It would have been obvious to one of ordinary skill in the art at the time of invention to combine XPath with Balabine (as modified by Mani) because both inventions are directed towards getting information from XML documents.

XPath's invention would have been expected to successfully work well with Balabine (as modified by Mani)'s invention because both inventions use paths with slashes or sloshes. Balabine (as modified by Mani) discloses a database interface for database unaware applications comprising querying a database and retrieving results where path names are represented by sloshes (backslashes), however Balabine (as modified by Mani) does not expressly disclose that slashes (forward slashes) can be used to access data. XPath discloses a syntax for addressing portions of an XML

Art Unit: 2161

document to access data comprising an XPath expression (location path) consisting of a string of element or attribute qualifiers separated by forward slashes.

It would have been obvious to one of ordinary skill in the art at the time of invention to take the XPath expressions from XPath and install it into the invention of Balabine (as modified by Mani), thereby offering the obvious advantage of accessing the data of Balabine or Mani by using XPath location path expressions using non-XML syntax for a small query language to execute quick queries against XML data.

For Claim 35, Balabine (as modified by Mani) teaches: "A method as recited in claim 31."

Balabine (as modified by Mani) discloses the above limitation but does not expressly teach: "where in the location path expression is written as an abbreviated XPath expression."

With respect to Claim 35, an analogous art, XPath, teaches: "where in the location path expression is written as an abbreviated XPath expression" [XPath, p. 1 with Balabine, Fig. 5C].

It would have been obvious to one of ordinary skill in the art at the time of invention to combine XPath with Balabine (as modified by Mani) because both inventions are directed towards getting information from XML documents.

XPath's invention would have been expected to successfully work well with Balabine (as modified by Mani)'s invention because both inventions use paths.

Balabine (as modified by Mani) discloses a database interface for database unaware applications comprising querying a database and retrieving results where path names

are represented by sloshes (backslashes), however Balabine (as modified by Mani) does not expressly disclose that abbreviated XPath expressions can be used. XPath discloses a syntax for addressing portions of an XML document to access data comprising an XPath expression (location path) consisting of a string of element or attribute qualifiers separated by forward slashes.

It would have been obvious to one of ordinary skill in the art at the time of invention to take the XPath expressions from XPath and install it into the invention of Balabine (as modified by Mani), thereby offering the obvious advantage of accessing the data of Balabine or Mani by using XPath location path expressions using non-XML syntax for a small query language to execute quick queries against XML data.

15. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Application/Control Number: 10/620,095 Page 23

Art Unit: 2161

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2161

Conclusion

16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brent S. Stace whose telephone number is 571-272-8372 and fax number is 571-273-8372. The examiner can normally be reached on M-F 9am-5:30pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey A. Gaffin can be reached on 571-272-4146. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Brent Stace

cy

B 4

Christian

. .

Page 24

SPE 2161